UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/525,544	01/28/2005	Willliam H. Simon	Simon-1	7885
	7590 06/24/201 NARD GRUNE	EXAMINER		
784 S VILLIER		ARAJ, MICHAEL J		
VIRGINIA BEACH, VA 23452			ART UNIT	PAPER NUMBER
			3775	
			MAIL DATE	DELIVERY MODE
			06/24/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
Office Action Comments	10/525,544	SIMON, WILLLIAM H.				
Office Action Summary	Examiner	Art Unit				
	MICHAEL J. ARAJ	3775				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on <u>07 Ju</u>	ne 2010					
	action is non-final.					
<i>;</i> —	, 					
,—	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
olooca in accordance with the practice under E	x parte gadyle, 1000 O.B. 11, 40	0.0.210.				
Disposition of Claims						
4)⊠ Claim(s) <u>1-9</u> is/are pending in the application.	4) Claim(s) 1-9 is/are pending in the application.					
4a) Of the above claim(s) is/are withdray	4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-9</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	election requirement.					
and daspess to receive and an array of	olootion roquirollioniti					
Application Papers						
9)☐ The specification is objected to by the Examiner.						
10)⊠ The drawing(s) filed on <u>31 July 2009</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
<u>. </u>	priority under 35 LLS C & 110(a)	(d) or (f)				
	2) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).					
·— <u> </u>	1. Certified copies of the priority documents have been received.					
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date						
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 5) Notice of Informal Patent Application 6) Other:						
Paper No(s)/Mail Date 6) U Other:						

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on June 7, 2010 has been entered.

Claim Rejections - 35 USC § 101

35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

Claims 1-9 are rejected under 35 U.S.C. 101 because they are drawn to non-statutory subject matter. In claim 1, line 6, applicant positively recites part of a human, i.e. "said talus bone". Thus claims 1-9 include a human within their scope and are non-statutory.

A claim directed to or including within its scope a human is not considered to be patentable subject matter under 35 U.S.C. 101. The grant of a limited, but exclusive property right in a human being is prohibited by the Constitution. In re Wakefield, 422 F.2d 897, 164 USPQ 636 (CCPA 1970).

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1-9 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 1 recites the limitation "said talus bone" in lines 6 and 7. There is insufficient antecedent basis for this limitation in the claim.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Schon et al. (U.S. Publication No. 2003/0097131).

Schon et al. disclose an intramedullary nail (4) having a proximal end, a distal end and a central cylindrical elongated body with a chamfered end and at least one slot (32) where said device comprises an attaching means to a bone. Said intramedullary nail is cannulated (see Figure 2) comprising a round cross-section with a central elongated body. The intramedullary nail is adapted with said attaching means by way of a proximal fastener hole (48) and a distal fastener hole (16) where a fastener (50) is

inserted into at least one of the fastener holes. Said fastener is configured and dimensioned for insertion in at least one of said fastener holes, further comprising a threaded hole for insertion of a screw.

With regard the statement of intended use and other functional statements, they do not impose any structural limitations on the claims distinguishable over Schon et al. which is capable of being used as claimed if one so desires to do so. *In re Casey*, 152 USPQ 235 (CCPA 1967) and In re Otto, 136 USPQ 458, 459 (CCPA 1963). Furthermore, the law of anticipation does not require that the reference "teach" what the subject patent teaches, but rather it is only necessary that the claims under attack "read on" something in the reference. Kalman v. Kimberly Clark Corp., 218 USPQ 781 (CCPA 1983). Furthermore, the manner in which a device is intended to be employed does not differentiate the claimed apparatus from prior art apparatus satisfying the claimed structural limitations. Ex parte Masham, 2 USPQ2d 1647 (1987). Additionally, it would have been an obvious matter of design choice to have created the nail to be of a smaller size to fit a human foot versus an elephant's foot, since such a modification would have involved a mere change in the size of a component. A change in size is generally recognized as being within the level of ordinary skill in the art. In re Rose, 105 USPQ 237 (CCPA 1955).

Schon et al. disclose the claimed limitations except for the chamfered end being defined by a reduction in diameter by a 45 degree chamfer. It would have been obvious to one having ordinary skill in the art at the time the invention was made to have created the device of Schon et al. by a 45 degree chamfer, since it has been held that

Art Unit: 3775

discovering an optimum value of a result effective variable involves only routine skill in the art. In re Boesch, 617 F.2d 272, 205 USPQ 215 (CCPA 1980).

Response to Arguments

Applicant's arguments with respect to claims 1-9 have been considered but are moot in view of the new ground(s) of rejection. The amendments filed on June 7, 2010 overcome the Schon et al. reference as a 102 (e) reference but do not overcome the reference as a 103 (a) as seen above. The only differences in the amendments made were that a 45 degree chamfer is required. As seen in the reference Schon et al. disclose a chamfer but is lacking in the actual angle of the chamfer. Therefore a 102 (e) anticipation is not appropriate.

As stated in the interview that took place on February 18, 2010, it is still recommended to further define the structure of the device.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MICHAEL J. ARAJ whose telephone number is (571)272-5963. The examiner can normally be reached on M-F 8am-5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas Barrett can be reached on 571-272-4746. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/525,544 Page 6

Art Unit: 3775

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Michael J Araj/

Examiner, Art Unit 3775

/Thomas C. Barrett/

Supervisory Patent Examiner, Art Unit 3775